

Fig. 1




Fig.2




Fig. 3




Fig.4




Fig.5




Fig.6




Fig. 7

112

111 113 114

100a

LIST

GRAPH

ELECTROCARDIOGRAM

STETHOSCOPE

STILL IMAGE

DIAGNOSIS WITH INTERVIEW

ADVICE

TV TELEPHONE

ALERT

SPECIFIC DATA

DISPATCHING DATA

SENSITIVITY SETTING

PATIENT NAME

TRANSMITTER / TITLE

ADVICE MESSAGE

ADD

CLEAR

DELETE

DELETE

DELETE

117b 115 116

117 118




Fig. 8

112

111

120

119

104a

121

122

LIST

GRAPH

ELECTROCARDIOGRAM

STETHOSCOPE

STILL IMAGE

DIAGNOSIS WITH INTERVIEW

ADVICE

TV TELEPHONE

ALERT

SPECIFIC DATA

DISPATCHING DATA

SENSITIVITY SETTING

PATIENT NAME

▼

ALERT SETTING

BODY TEMPERATURE	MAX	MIN	°C	BLOOD SUGAR	MAX	MIN	mg/dl	
	MAX	MIN	mmHg		MAX	MIN	mg/dl	
BLOOD PRESSURE	SYS	MAX	MIN	mmHg	BODY WEIGHT	MAX	MIN	Kg
	DIA	MAX	MIN	mmHg		MAX	MIN	Kg
NUMBER OF PULSES	MAX	MIN	mmHg	PEAK FLOW	MAX	MIN	L/min	
	MAX	MIN	mmHg		MAX	MIN	L/min	

ADD

CLEAR



Fig. 9




Fig. 10






Fig. 11






Fig.12

INSTRUMENT SERIAL NUMBER - USER SETTING SCREEN	
INSTRUMENT SERIAL NUMBER	
Y K 0 1 2 9 5 7	
USER NAME	IDENTIFICATION CODE
TARO YAMADA	t 2 y 3 a 5 m 7 a
MEASUREMENT ITEMS	MEASUREMENT SENSOR (INSTRUMENT NAME)
<input checked="" type="radio"/> BLOOD PRESSURE / PULSE	M K 1 2 5 6
<input checked="" type="radio"/> BODY TEMPERATURE	M T 3 6 5 2
<input type="radio"/> WEIGHT / BODY FAT	
<input type="radio"/> URIC SUGAR	
<input checked="" type="radio"/> ELECTROCARDIOGRAM	M S 4 2 0 2
<input type="radio"/> SPO2	
DO YOU ADD A USER ?	
<input type="button" value="Y e s"/>	<input type="button" value="N o"/>



Fig.13

USER MENU
ENTER USER NAME
TARO YAMADA
HANAKO YAMADA
ICHIRO YAMADA

Fig.14

MEASUREMENT MENU	
USER : TARO YAMADA	
BLOOD PRESSURE / PULSE MK1256	BODY TEMPERATURE MT3652
ELECTROCARDIOGRAM MS4202	

Fig. 15

PATIENT HOME






Fig.16



PATIENT HOME



INFORMATION CENTER



HOSPITAL

